



Model : [ON-KW0916N1-P](#)

9" Touch screen + 4ch 720P HD realtime NVR + built-in HDD slot (1 camera kit)



Model : [ON-KW0916N2-P](#)

9" Touch screen + 4ch 720P HD realtime NVR + built-in HDD slot (2 camera kit)



9 " Digital Wireless Home Surveillance System

Features :

- 9 " Touch Screen LCD monitor
- Built-in 1 pcs HDD slot (supports 2.5inch 2TB HDD max)
- All 4CH realtime HD 720P Recording and Playback
- Supports Smartphone Live View
- LCD Panel Resolution 1024×600 (HD)
- Wireless Range up to 300 Meters
- DIY P2P easy Operation

Specifications :

Kit Model	ON-KW0916N1-P (1 camera kit)	ON-KW0916N2-P (2 camera kit)
2.4G Wireless NVR (ON-RW0916N4)		











Items	Parameters	Values
LCD Panel	Screen type	9 " TFT-LCD
	Display Area	196.61×114.15mm
	Resolution	1024(H)×RGB×600(V)
System	Main processor	ARM926EJ-S
	Operating system	RTOS
Video	Video compression	H.264
	Video input mode(IP)	4*720P
	Video Outputs	HDMI(HD-720P)
	Display Resolution	Max. HD-720P
Audio	Audio compression	Audio32
	Intercom	Option
Recording	Recording Modes	Manual, Scheduled, Motion Trigger
	Recording Resolution	720P HD (4 Channels)
	Recording Frame Rate	Max.25fps / 30fps @ 720P for each channel
	Loop Recording	Yes
	Hard Drive	Built-in 2.5-inch SATA hard drive slot (Max. support 2TB)
Connections	Network Apps	Kalay Cam (iOS & Android)
	Network Access Mode	Local, P2P
	Event Push to Smartphone	Option
	Multi-user access	Yes
External Interface	Network Interface	RJ45 LAN Port x 1
	HDMI Output	HDMI Port x 1 (1.3)
	AV Output	None
	Micro SD Card/TF Card	Max.32GB(FAT32), video file export (AVI format) / firmware upgrade
	USB Port	Yes (2.0)
External Controller	Power / Energy button	Yes
	Touch Screen	Yes
General	Power Supply	DC12V/2A
	Working Environment	0~+55°C / 10~90%RH / 86~106kpa
	Dimension	243.8×163.5×30.3mm
	Weight	0.68kg

2.4G Wireless Camera (ON-CWB604-P)

Items	Parameters	Values
Sensor and lens	Image Sensor	1/4 " OV9712 1Megapixel progressive scan CMOS
	Focal Length	3.6mm
Video	Video Quality	720P
	Viewing Angle	70°(Diagonal)
Night Vision	IR LED	850nm
	Night Vision Distance	20-30 meters
	IR Cut Filter	Yes
General	Power Supply	DC 5V/2A
	Working Environment	-10~+60°C /Less than 95% RH
	waterproof	IP66

	Dimension	Ø67.5mm×164mm
	Weight	0.36kg

Package :

				
9" Touch Monitor	Camera	Power Adapter (Monitor)	Power Adapter (Camera)	Circular base(Optional)
				
CD	Quick start guide	RJ45 cable	Mounting hardware	HDD (Optional)

