



Model NO.: ON-N6104-P4-V2

H.265 4CH 5MP POE NVR with 1pcs SATA



Key Features

- Support 4 CH 5MP / 4MP / 3MP / 1080P / 960P / 720P IP input
- Adopt standard H.265 high profile compression format to get high-quality video at much lower bit rate
- Intuitive and user-friendly Graphic User Interface (GUI), Windows style operation by mouse
- Multi-mode recording: manual / timer / motion / sensor; Playback : 8 simultaneous playback
- Time slice, event , tag search and backup via USB, network and so on
- preview, record, playback, backup and remote access DHCP, DDNS, PPPoE network protocol and CMS supported Remote control via IE or CMS : preview, playback, backup, PTZ and configuration
- Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device Multi-user online simultaneously
- Authorization management, log view and device status view HDMI output, true high resolution display
- Support PTZ preset and auto cruise, up to 255 presets and 8 cruises
- Support QR Code scanning by mobile phone and PAD with iOS and Android OS

Specifications

Model		ON-N6104-P4-V2
System	Compression	Standard H.265
	OS	Embedded Linux
Video	Network Access Bandwidth	32Mbps
	Input Resolution	5MP、4MP、3MP、1080P、960P、720P real time
	Network Access	4CH IPC input
	Output	HDMI×1:1920×1080/1280×1024/1024×768
VGA×1:1920×1080/1280×1024/1024×768		
Audio	2-way Audio	No
	Local Output	HDMI supports the audio output
	Compression	G.711(U/A)
Record	Record Stream	Dual stream recording
	Resolution	5MP、4MP、3MP、1080P、960P、720P
	Frame Rate	25fps/30fps(PAL/NTSC)
	Bite Stream	32Kbps-8Mbps
	Image Quality	5 Level
Playback	Simultaneous Playback	Max 4CH
	Search	Time slice/time/event/tag search
	Smart Search	Highlighted color to display the camera record in a certain period of time,different colors refers to different record events
	Function	Play,pause,FF,FB,digital zoom, etc.
Alarm	Mode	Manual, sensor, motion, exception
	Input	No
	Output	No
	Triggering	Record,snap,preset,e-mail,etc.
Network	Interface	RJ45 10/100Mbps×1
	Network Protocol	TCP/IP、PPPoE、DHCP、DNS、DDNS、UPnP、NTP、SMTP、ONVIF、GB28181
Mobile Device	OS	iOS,Andriod

Storage	HDD	SATA×1
	Max Capacity	8TB Per HDD
Backup	USB Backup	Yes
	eSata Backup	No
	Network Backup	Yes
Interface	Alarm In	No
	Alarm Output	No
	Communication	No
	USB	USB2.0×2(two in the rear panel)
Others	Dimensions(mm)	255×233×42(W×D×H)