

WiFi Battery IP Camera

Quick Installation Guide


V1.0

1. Interface

1. Front Panel



2. Back Panel



2. Mobile Phone App Instructions

- a. Scan one of the QR Codes below.
- b. Download App from App Store or Google Play.



iOS


i-Cam



Android

3. Network Configuration

1. Wireless Link New Camera to App.





Power on the camera.


Make sure the camera is in configuration mode.

“The camera is now ready to begin paring.”

* If not in configuration mode, long press “Reset Button” for 5 seconds until you hear “System Reset”. Wait the camera to restart, and enter into configuration mode.


Choose “Setup Device” and follow the steps.








Enter Wi-Fi name and password.

*** It supports 2.4G Wi-Fi only.
5G Wi-Fi is not working.**



中国移动 4G 55% 12:06 PM

< Device Information



Select Wi-Fi Search device Add device

Password must be at least 8 characters.

Finish

Set device name and password.

*** Password must be at least 8 characters.**

中国移动 4G 55% 12:06 PM

< Select the area where th...


Non-Chinese mainland

Chinese mainland


Submit

Select the area.

- Non-Chinese mainland
- Chinese mainland



Add new camera successfully.




Device Setting

1. Accept call

- Silence
- Notification
- Call in

2. Share QR code

3. Remove



Album – App Album / System Album

Switch – Common / Panorama


(Cloud – When cloud storage is enabled)

Cruise – Panoramic cruise



Audio – Mobile speaker

Settings – Device settings

3. Device Settings



Enable / Disable “Cloud Storage”
in SD card setting page.



4. Main Specification

Chipset	Hi 3518E
Wi-Fi	2.4G 802.11 b/g/n
Storage	Support Max. 64GB TF Card
Recording	TF Card / Cloud
Resolution	2.0MP - 1080P (1920*1080)
Audio	Full Duplex Audio
Alarm	PIR (Human body infrared sensor detection)
Visual Angle	125° Super Wide Angle
Night Vision	6pcs LED Lights, IR 3m IR-Cut
Protocol	TCP/IP, UDP, SMTP, DHCP, UPnP, P2P
Item Size	68 x 42 x 65mm (L x W x H)
Battery	Li-Battery
Power	Stand-by: 160uA Working: 170mA
Certificate	ISO, CE, FCC, RoHS

Thank you for choosing our product.